



CATHERINE M
AESTHETICS

Nasolabial Folds

(Smile Lines) The extra stuff you may want to know!



Downtime

You may return to your normal activities provided you follow the aftercare instructions. Bruising and swelling can last 1 - 7 days.

Risks & Adverse Effects

Risks and adverse effects associated with injectable fillers are minimal in general. The common immediate adverse effects are bruising, redness, swelling, asymmetry and itching in the injected area which will subside in a few days. Much less commonly there may be eruptions, skin sores or infection at the injection site. On rare occasions, hard persistent bumps or nodules may form requiring dissolving with Hylenex injections or possible surgical removal. Dermal fillers also have the potential to migrate and spread to an area other than the one they were injected into.

With any dermal filler, if filler is placed into a vein or artery an occlusion can occur slowing or stopping blood flow to the surrounding tissues. It is important to seek out a practitioner that is well trained to recognize this adverse event and also have the equipment and resources to intervene immediately. At Catherine M Aesthetics, I have the medication needed on hand to help reverse an occlusion, while also having access to a Doctor of Emergency Medicine and an oculoplastic surgeon if needed.


How Does It Work?

After a thorough assessment, I will choose a specific filler that is right for your goals, skin type and extent of nasolabial fold. There are different techniques used for the smile lines that can include both needle and cannula. I will use an AccuVein finder to identify any significant vessels to avoid. This is for increased safety and also to reduce our chances of bruising. Hyaluronic Acid filler is then injected into the dermis to provide support and add volume to the area of concern.

Contraindications

- 1 Pregnancy and breastfeeding
- 2 The presence of an active skin condition in the treatment area
- 3 Known allergy or insensitivity to any ingredient found in dermal fillers including lidocaine

***Please see consent form for full contraindications and risk information.*



FAQ's

Which dermal filler lasts the longest?

The longevity of the dermal fillers depends on factors such as:

- Density of the filler
- Injection area
- Patient's metabolism and activity level

Will I look natural?

When fillers are used in the appropriate amount and placed in the right location, the result is a beautiful, natural, youthful outcome. Fillers are not meant to create totally different features. In the hands of an experienced provider that has extensive knowledge of facial anatomy, the outcome simply enhances one's own facial features.

Which filler do I need?

The choice of filler depends on the depth of the fold and technique used. I carry Juvéderm and Restylane products in my office.

How many syringes of filler will I need?

The amount of filler you will need to treat your smile lines depends on your ultimate goal. One syringe is equal to the volume of a blueberry. We can start small if you decide and use as little as a half of a syringe on each side. I find that typically my clients come back for more and ultimately have 1 to 2 syringes in each side depending on the depth of the nasolabial fold.

